


Enrolist liquid

Enrofloxacin + Colistin Sulphate

اینرولسٹ لیکوئید

پولٹری میں مختلف بیماریوں مثلاً: سی آر ڈی، سوڈو موناس، سالمونیلہ، ای کولائی،
فاؤل کارلر، نمونیہ اور کورائزہ کے لئے موثر دوا



Manufactured by:
WIMITS
Pharmaceuticals (Pvt.) Ltd.
129-Sunder Industrial Estate, Lahore.

129-Sunder Industrial Estate Lahore.
Phone: 042-37502921,
Fax: 042-37502922.

info@wimits.com
www.wimits.com

Marketed by:
BioVision
88-A, PCHS, Defence
Ghazi Road, Cantt, Lahore.

اینرولسٹ لیکوئید Enrolist liquid

Enrofloxacin + Colistin Sulphate

اینرولسٹ لیکوئید + کولیسٹین سلفیٹ

COMPOSITION:

Each 100 ml contains
Enrofloxacin BP.....20 gm
Colistin Sulphate BP.....50000000 IU
(Wimits's Specs.)

PRODUCT DESCRIPTION

Enrolist liquid is a combination of Colistin Sulphate and Enrofloxacin.

Enrofloxacin is a synthetic, broad spectrum antimicrobial substance, belonging to the fluoroquinolone group of antibiotics. Enrofloxacin is active against Gram-negative and Gram-positive bacteria and mycoplasma. It is well absorbed after oral administration and rapidly excreted in the bile and urine, mostly as enrofloxacin and the metabolite ciprofloxacin.

Colistin Sulphate is a polypeptide antibiotic of the polymyxin group produced by cultures of Bacillus polymyxa var. colistinus. It interacts strongly with phospholipids in bacterial cell membrane, penetrates into and radically disrupts its permeability and function.

It has a protective effect against the adverse effects of endotoxins due to its high activity to bind and neutralize the endotoxins produced by toxigenic strains of E.coli and Salmonella spp.

INDICATIONS:

Enrolist liquid is a combination of Enrofloxacin (broad spectrum belonging to fluoroquinolone group of antibiotics) and Colistin (polymyxins group) which is effective against gastrointestinal, respiratory and urinary tract infections caused by colistin and enrofloxacin sensitive micro-organisms like Campylobacter, E. coli, Haemophilus, Mycoplasma, Pasteurella and Salmonella spp., in poultry.

DOSAGE:

1 ml in 4 litres of drinking water for 3-5 days.

CAUTION:

- Store away from human and animal foodstuff.
- Close bottle tightly after use and protect from heat and moisture.
- Keep out of reach of children.
- Consult veterinarian before use.
- Wash hands after use.



خوراک و استعمال:
۱ ملی لیٹر ۴ لیٹر پینے کے پانی میں ۳-۵ دن تک استعمال کریں۔

احتیاط:

گرمی اور دھوپ سے بچائیں۔
تمام دوائیں بچوں کی پہنچ سے دور رکھیں۔
ویٹرنری ڈاکٹر کی ہدایات کے مطابق استعمال کریں۔

اجزائے ترکیبی:

۱۰۰ ملی لیٹر میں
اینرولسٹ لیکوئید (بی پی).....۲۰ گرام
کولیسٹین سلفیٹ (بی پی).....۵۰۰۰۰۰۰۰ آئی یو

علامت:

اینرولسٹ لیکوئید دوا ادویات کا بہترین ملاپ ہے
جو پولٹری میں مختلف بیماریوں مثلاً: سی آر ڈی،
سوڈو موناس، سالمونیلہ، ای کولائی، فاؤل کارلر،
نمونیا اور کورائزہ میں انتہائی موثر ہے۔