

STRIKER

Water Soluble Powder

Chlortetracycline HCl + Neomycin Sulphate + Colistin Sulphate

سٹرائیکر حل پزیر پلوڈر



Versatile combination
for
Effective Strike

Manufactured by
WIMITS Pharmaceuticals (Pvt.) Ltd.

Marketed by:
BioVision
CORPORATION

STRIKER

Water Soluble Powder

COMPOSITION:

Each gram contains
Chlortetracycline HCl BP.....80 mg
Neomycin Sulphate BP.....70 mg
Colistin Sulphate BP.....80,000 IU

PRODUCT DESCRIPTION:

Chlortetracycline belongs to the group of tetracyclines and acts bacteriostatic against many Gram-positive and Gram-negative bacteria like Bordetella, Campylobacter, Chlamydia, E. coli, Haemophilus, Mycoplasma, Pasteurella, Rickettsia, Salmonella, Staphylococcus and Streptococcus spp. The action of chlortetracycline is based on inhibition of bacterial protein synthesis. Chlortetracycline is mainly excreted in urine, for a small part in bile and in lactating animals in milk. Chlortetracycline hydrochloride is indicated for treatment of primary and secondary bacterial gastrointestinal infections and treatment of primary and secondary bacterial respiratory infections in poultry (Mycoplasmosis, CRD). Non-specific enteritis in poultry, hexamitiasis, infectious sinusitis, control of secondary infections in Mycoplasmosis in poultry, protection of animals in all cases of stress.

Neomycin is a broad-spectrum bactericidal amino glycoside antibiotic with particular activity against certain members of the Enterobacteriaceae e.g. Escherichia coli. Its mode of action is at the ribosomal level. When administered orally, only a fraction (<5%) is absorbed systemically, the remainder remains as the active compound in the gastrointestinal tract of the animal. Neomycin is not inactivated by enzymes or food. These pharmacological properties lead to neomycin being an efficacious antibiotic in the prevention and treatment of enteric infections caused by bacteria sensitive to neomycin such as E. coli, Salmonella and

Campylobacter spp., Streptococci, Staphylococci, Actinobacillus, Listeria and Proteus. Neomycin sulphate can be combined with other antibiotics (oxytetracycline, colistin and penicillin).

Colistin Sulphate is a polypeptide antibiotic of the polymyxin group produced by cultures of Bacillus polymyxa var. colistinus. It interacts strongly with phospholipids in bacterial cell membrane, penetrates into and radically disrupts its permeability and function.

It has a protective effect against the adverse effects of endotoxins due to its high activity to bind and neutralize the endotoxins produced by toxigenic strains of E.coli and Salmonella spp.

INDICATIONS:

Striker is indicated for the treatment of infections caused by E.Coli, Staphylococci, Pasteurella, Salmonella, Mycoplasma and diseases like CRD, Bacterial enteritis, early chick mortality, Bluecomb, fowl cholera, Fowl typhoid, Synovitis, Omphalitis, respiratory and GIT diseases.

DOSAGE:

1 gram in 1 litre of drinking water for 3-5 days.

CAUTION:

- Store away from human and animal foodstuff.
- Close jar tightly after use.
- Protect from heat and moisture.
- Keep out of reach of children.
- Consult veterinarian before use.
- Wash hands after use.

فائل ہائی فائیز، ناف کی سوزش، نظام تنفس اور انہضام کی بیماریوں کے لئے موثر ہے۔

خوراک استعمال:

۱ گرام الیگزیر پانی میں ۳ سے ۵ دن تک استعمال کریں۔

احتیاط:

- گرمی، دھوپ اور نمی سے بچائیں۔
- تمام دواؤں میں بچوں کی پہنچ سے دور رکھیں۔
- ڈاکٹر کی ہدایات کے مطابق استعمال کریں۔

بڑے تر کیپی:

۱ گرام پاؤڈر میں
کھور ٹیرسا گھلین یا پزیر کھورائیڈ (بی بی) ۸۰-۱۰۰ ملی گرام
نیوماکسین سلفیٹ (بی بی) ۷۰-۸۰ ملی گرام
کوئسٹین سلفیٹ (بی بی) ۸۰,۰۰۰ آئی یو

علامات:

سٹرائیکر (حل پزیر پاؤڈر) ای کوئی، سٹینٹو کوئی، پاچوریا، سالمونیلہ، مائیکوپلازما سے پیدا شدہ
انفیکشنز اور بیماریوں جیسے سی آر ڈی، آنتوں کی سوزش، چوزوں کی ابتلائی اسوات، ہیڈکامب، فائل کارا،

129-Sunder Industrial
Estate Lahore.

info@wimits.com

Phone: 042-37502921,
Fax: 042-37502922,

www.wimits.com

Empowering animal health